



## USB 2.0 to HDMI Adapter

Converts USB 2.0 to HDMI output

Part No.: [151061](#)

EAN-13: 0766623151061 | UPC: 766623151061

---

### Converts PC-based A/V signals into HDMI

The Manhattan USB 2.0 to HDMI Adapter translates analog PC audio/video signals and transmits digital output to HDMI projectors, flat-panel displays, televisions and other similar devices. Built-in circuitry allows digital media enthusiasts to easily distribute and enjoy PC-based multimedia content on high-definition displays and TVs while maintaining simultaneous A/V reception at the source PC. Its high-definition capability supports up to 1920 x 1080 and 1080p to serve a wide range of resolutions in many PC and high-definition applications, including training, retail and trade show settings. With Windows and Mac compatibility, the Manhattan USB 2.0 to HDMI Adapter requires no complicated configuration to convert and deliver digital content stored on desktop and notebook computers to other devices with HDMI input capabilities.

#### Features:

- Easily converts USB video and stereo audio into an HDMI signal
- Ideal for connecting PCs to high-definition TVs, projectors, flat-panel displays and more
- Delivers a clear, sharp transmission; supports 1080p high-definition video with a widescreen aspect ratio of 16:9
- Bus powered: no external power supply needed
- Windows and Mac compatible; simple to install
- Three-Year Warranty

#### Specifications:

##### Standards and Certifications

- CE
- FCC

For more information on Manhattan products, consult your local dealer or visit [www.manhattan-products.com](http://www.manhattan-products.com).

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- RoHS
- USB 2.0
- HDMI

#### General

- Compliant with USB specification, revision 2.0
- Supports suspend and wake-up modes
- Functionality: primary, extended or mirror
- Resolution: up to 1920 x 1080 @ 32-bit color
- HDMI output
- 16 MB display memory
- Audio and video output through HDMI
- Bus powered: no external power supply needed
- Support Windows XP 32-bit, Vista/7/8.1/10 (32/64-bit); Mac OS X 10.6.8 or above

#### Connections

- Input: USB 2.0
- Output: HDMI female

#### System Requirements

- Windows XP 32-bit, Vista/7/8.1/10 (32/64-bit); Mac OS X 10.6.8 or above
- Available USB 2.0 port

#### Package Contents

- Hi-Speed USB 2.0 HDMI Converter
- Quick install guide and driver CD



