



Hi-Speed USB Stereo Sound Adapter

USB-A to 3.5 mm Mic-in and Audio-Out Ports

Part No.: [152754](#)

EAN-13: 0766623152754 | UPC: 766623152754

Plug-in, play and enjoy better audio performance with USB convenience

Ideal for desktop, notebook and netbook computers, the Manhattan Hi-Speed USB Stereo Sound Adapter instantly creates microphone-in and audio-out ports through any USB-A port. Easily connect headsets, microphones and speakers equipped with 3.5 mm cables that are too short to comfortably reach ports with awkward or inconvenient locations. With Plug and Play and hot-swap capabilities, it easily replaces inoperative sound cards, bypasses damaged audio ports and improves access without special drivers or software. A built-in Class-B power amplifier utilizes USB bus power, eliminating the need for external energy supplies or additional cables. Audio support, 2.1 stereo sound and built-in sound effects with a 10-band equalizer deliver rich, high-quality experiences with familiar USB convenience and functionality.

Features:

- Instantly creates mic-in / audio-out connectivity through any USB port — ideal for desktop, notebook and netbook PCs
- Improves access and bypasses faulty sound card or audio ports and upgrades audio performance
- Supports 2.1 stereo sound — includes preset sound effects with 10-band equalizer
- Plug and Play; no drivers or installation required

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Three-Year Warranty

Specifications:

Standards and Certifications

- USB 2.0
- CE
- FCC
- RoHS2
- WEEE

General

- 2.1 stereo sound
- Digital Class-B power amplifier
- Bus powered

Connections

- 3.5 mm Microphone-in TRS (tip, ring, sleeve) port
- 3.5 mm Audio-out TRS (tip, ring, sleeve) port
- USB 2.0 Type-A male

Physical

- Dimensions: 5.1 x 2.2 x 1.2 cm (2.0 x 0.9 x 0.5 in.)
- Weight: 8 g (0.3 oz.)
- Housing: plastic

Operating Environment

- Operation Temperature: 32 – 104°F (0 – 40°C)
- Storage Temperature: -4 – 140°F (-20 – 60°C)
- Humidity (noncondensing): 0 – 96%

System Requirements

- Windows XP/7/8.1/10 and Mac compatible

Package Contents

- Hi-Speed USB Stereo Sound Adapter
- Quick Instruction Guide

