



7-Port USB 2.0 Hub

Seven USB-A Ports, Dual Power, Multiple Transaction Translator, Built-in Wraparound Cable, Blue

Part No.: [161039](#)

EAN-13: 0766623161039 | UPC: 766623161039

Get the most performance from all USB devices

The Manhattan Hi-Speed USB 2.0 Ultra Hub easily expands USB access for desktop and notebook computers to connect more peripherals and mobile devices. Its Multiple Transaction Translator technology helps obtain the required bandwidth for maximum performance from low-, full and high-speed USB connected devices. It's ideal for maintaining proper data transfers when simultaneously utilizing USB equipment with varying rated speeds including keyboards, mice, high-resolution web cameras, mass storage, printers and more. A built-in, self-storing USB cable and protective cover help guard ports and reduce potential damage during travel. Plug and play with hot-swap capabilities, Windows and Mac compatibility and data transfer speeds up to 480 Mbps help the Manhattan Hi-Speed USB 2.0 Ultra Hub with Multiple Transaction Translator technology deliver improved USB experiences.

Features:

- Provides seven Hi-Speed USB 2.0 ports for additional peripherals
- Multiple Transaction Translator supports low-speed and high-bandwidth USB devices for optimum performance
- Built-in, wraparound cable easily connects and protects ports when not in use
- Versatile bus or AC powered with overcurrent protection; hot-swappable
- Plug and Play; Windows and Mac compatible
- Works great with Raspberry Pi, Arduino and BeagleBone
- Three-Year Warranty

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

Specifications:

Standards and Certifications

- USB 2.0, USB 1.1, USB 1.0
- FCC
- CE
- WEEE

Ports

- Transfer speeds: 1.5 / 12 / 480 Mbps
- 7 downstream ports, type A
- Up to 500 mA power, all ports

Physical

- Dimensions: 5.1 x 8.9 x 1.9 cm (2 x 3.5 x 0.75 in.)
- Weight: 55 g (1.9 oz.)
- USB type-A cable: 21 cm (8.25 in.); built-in
- USB extension cable: 1.2 m (4 ft.)
- Power adapter
- Housing: plastic

System Requirements

- USB-enabled PC or Mac system
- Windows XP/Vista/7/8.1/10 or Mac OS 9 or above
- Available USB port

Package Contents

- Hi-Speed USB 2.0 Ultra Hub
- Power adapter, USB cables and instructions



