



USB 3.0 Type-C Device Cable

USB-C Male to USB-C Male, 2 m (6 ft.), SuperSpeed USB (USB 3.2 Gen 1), 5 Gbps, 60 W / 3 A, 4K@60Hz, Black

Part No.: [354905](#)

EAN-13: 0766623354905 | UPC: 766623354905

Manhattan SuperSpeed USB Type-C Cables easily connect USB Type-C peripherals and accessories to Type-C device ports. Ideal for use with any USB Type-C plug-and-play device, this cable support data transfer rates of up to 5 Gbps on Windows and Mac systems for fast, reliable transmissions and current of up to 3 amps. Nickel-plated contacts, shielding and fully molded boots with strain relief provide dependable connections, maximum conductivity and minimal data loss with reduced EMI interference.

Features:

- USB Type-C male to Type-C male
- Connects a USB 3.0 SuperSpeed Type-C device to a SuperSpeed Type-C port
- Supports speeds of up to 5 Gbps
- Supports USB Power Delivery (PD) and Quick Charge™ (QC) up to 60 W
- Charges a USB-C powered device such as a notebook, Macbook Pro® or tablet from a USB-C PD wall charger or powerbank
- USB-C compliance with DisplayPort 1.2 Alternate Mode (DP Alt Mode) for resolutions up to 4K@60Hz on supported devices and displays
- Thunderbolt 3 compatible
- Supports current of up to 3 A
- SuperSpeed USB for ultra-fast data transfer rates and zero data degradation
- Lifetime Warranty

Specifications:

Standards and Certifications

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- UL 2725
- USB 3.2 Gen 1 (USB 3.0)

Connectors

- Two USB-C males
- Nickel plated
- Molded PVC boot

Cable

- Shielded
- Withstanding voltage: 300 VDC 10 ms
- Insulation resistance: 10 MOhm min.
- Contact resistance: 2 Ohm max.
- Thermal plastic casing

Package Contents

- USB 3.0 Type-C Device Cable



