



2-Port 4K DisplayPort KVM Switch

TK-220DPi (v1.0R)


- Control two computers with one set of console controls
- Compatible with DisplayPort port monitors and TVs
- Supports 4K UHD resolutions up to 3840 x 2160 @ 60Hz
- 5.1 audio support over DisplayPort cables
- 3.5mm speaker and microphone connections for analog audio
- Fully integrated DisplayPort, USB, and audio cables
- USB powered – No external power adapter required
- Convenient computer toggle switch

TRENDnet's 2-Port 4K DisplayPort KVM Switch, model TK-220DPi, allows you to control two computers with one set of console controls. Easily experience up to 4K UHD resolutions, no driver installation required. This compact DisplayPort switch is designed for 4K DisplayPort systems with USB mouse and keyboard connections. This UHD DisplayPort KVM switch also features 3.5mm speaker and microphone connections to switch between computers.




4K DisplayPort 1.2

This DisplayPort switch is designed for DisplayPort systems with resolutions up to 3840 x 2160 @ 60Hz.



Audio Support


Full audio support through DisplayPort KVM cable connections with optional 3.5mm microphone and speaker jacks.



Quick Toggle Switch

Use the integrated 1.5m (4.9 ft.) cable to position the toggle switch in the most convenient location.

NETWORKING SOLUTION



FEATURES



Computers

2-Port DisplayPort KVM controls up to 2 computers



4K UHD

4K DisplayPort KVM switch supports resolutions up to 4K UHD (3840 x 2160) with a 60Hz refresh rate



Audio Support

Full audio support maximizes workstation productivity



USB Mouse & Keyboard

True Transparent USB (TTU) technology supports most keyboard and mouse designs



DisplayPort 1.2

DisplayPort 1.2 with HDCP support



Integrated Cables

Fully integrated DisplayPort, USB, and audio cables



Computer Ports

Requires free USB and DisplayPort ports from connected computers



Hot Keys

This DisplayPort switch features Hot Key command shortcuts

SPECIFICATIONS

Console Port Connectors

- Keyboard: USB Type A
- Mouse: USB Type A
- Monitors: 1 x DisplayPort 1.2
- Speaker jack: 3.5mm
- Microphone jack: 3.5mm

Computer Interface (up to 2)

- Keyboard/Mouse: USB 2.0 Type A
- Monitors: DisplayPort 1.2
- Speaker jack: 3.5mm
- Microphone jack: 3.5mm
- Cable length: 1.5m (4.92 ft.)

Monitor Resolution

- Up to 1920 x 1080 @ 144Hz
- Up to 1920 x 1200 @ 144Hz
- Up to 1920 x 1440 @ 144Hz
- Up to 2560 x 1440 @ 144Hz
- Up to 3440 x 1440 @ 60Hz
- Up to 3840 x 2160 @ 60Hz

Switching Control

- One touch toggle switch
- Keyboard hot key commands

Audio Support

- 5.1 Audio support over DisplayPort cables
- Analog audio over speaker and microphone jacks

Operating Temperature

- 0° – 40° C (32° – 104° F)

Operating Humidity

- Max. 90% non-condensing

Dimensions

- 164 x 87 x 45mm (6.4 x 3.4 x 1.77 in.)

Weight

- 578g (1.27 lbs.)

Certifications

- CE
- FCC

Warranty

- 2 year

Package Contents

- TK-220DPi
- Quick Installation Guide

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.