




## USB 2.0 to Fast Ethernet Adapter

TU2-ET100 (v6.0R)


- Connect your USB-enabled device at fast Ethernet speeds
- Quickly share data, music, movies, and other network resources
- Compact design reduces desktop clutter

The TU2-ET100 is a high-speed USB 2.0 to Fast Ethernet adapter that allows you to easily connect to a 10/100 Mbps network from a USB enabled desktop, MacBook<sup>®</sup>, ChromeBook<sup>™</sup>, or notebook PC. Compliant with USB 2.0 and backwards compatible with the USB 1.1 and 1.0, you can share files and printers and gain access to broadband Internet.




### Compact Adapter

Compact design is ideal for on the go professionals.



### Compatibility


Compatible with Windows and Mac operating systems.



### Fast Ethernet Speeds

Experience Full Duplex 200 Mbps Ethernet speeds with this compact USB 2.0 to Fast Ethernet adapter.

## NETWORKING SOLUTION



## FEATURES



### Easy Setup

Simple installation in minutes



### Flexible Connector

Attached flexible 10.5 cm (4 in.) USB cable accommodates most installation scenarios



### USB Powered

Compact adapter powered by USB port

## SPECIFICATIONS

### Standards

- IEEE 802.3
- IEEE 802.3u
- USB 1.1
- USB 2.0

### Interface

- 1 x 10/100 Mbps Fast Ethernet port
- 1 x USB Type A port (Male)

### Maximum Data Rate

- Up to 200 Mbps (full duplex)

### Supported OS

- Windows® 10, 8.1, 8, 8 RT, 7
- Mac OS® 10.13, 10.12, 10.11, 10.10, 10.9, 10.8, 10.7, 10.6

### Power

- USB powered
- Consumption: 178 mA
- 72 x 23 x 15 mm (2.8 x 0.9 x 0.6 in.)
- 105 mm (4 in) cable length
- 28 g (1 oz.)

### Operating Temperature

- 0 ~ 40 °C (32 ~ 104 °F)

### Operating Humidity

- Max. 90% non-condensing

### Certifications

- CE
- FCC

### Warranty

- 2 year limited

### Package Contents

- TU2-ET100
- Quick Installation Guide
- CD-ROM (Drivers)

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.