



USB-C to Gigabit Adapter + USB Hub

TUC-ETGH3 (v1.0R)


- 1 x Gigabit Ethernet port
- 3 x USB 3.0 ports
- Windows[®] and Mac[®] compatible
- Flexible USB-C cable accommodates most installations
- Backward compatible with USB 2.0 and 1.1 devices
- Supports Wake on LAN (Suspend Mode)

TRENDnet's USB-C to Gigabit Adapter + USB Hub, model TUC-ETGH3, adds a Gigabit Ethernet port and three 5Gbps SuperSpeed USB 3.0 ports to a Windows[®] or Mac[®] computer. Easy installation – simply plug in flash drives, printers, scanners and other USB 3.0 devices at speeds ten times faster than a USB 2.0 connection. This USB-C adapter and hub combination is also compatible with USB 2.0 and 1.1 devices.




USB-C

Easily connect up to three USB 3.0 devices to a USB-C enabled desktop or notebook PC.




Gigabit Speeds

Experience full duplex 2Gbps connection speeds with this compact USB-C Gigabit adapter.



Compatibility

This USB-C adapter and hub combo is compatible with Windows® and Mac® operating systems.



Gigabit Ethernet

Adds a Gigabit Ethernet port



Installation Flexibility

Integrated 12.7cm (5 in.) USB-C cable accommodates most installation scenarios



Backwards Compatibility

Compatible with USB 2.0 and 1.1 devices



USB-C

Easily connect up to three USB 3.0 devices to a USB-C enabled desktop or notebook PC



Operating Systems

Compatible with Windows and Mac operating systems



LED Indicators

LED indicators display link and activity

Specifications

Standards	<ul style="list-style-type: none"> • IEEE 802.3 • IEEE 802.3u • IEEE 802.3ab • IEEE 802.3x • IEEE 802.3az • USB Type-C • USB 3.0 • USB 2.0 • USB 1.1
Interface	<ul style="list-style-type: none"> • 1 x USB Type-C connector • 3 x USB 3.0 ports • 1 x Gigabit port
Maximum Data Rate	<ul style="list-style-type: none"> • Up to 2Gbps (Gigabit port) • Up to 5Gbps (USB port)
Special Features	<ul style="list-style-type: none"> • Compact form factor • Energy saving GREENnet technology • Flexible USB Type-C cable
USB Bus Powered	<ul style="list-style-type: none"> • Output: 5V, 0.9A • Consumption 4.5W (max.)

System Compatibility	<ul style="list-style-type: none"> • Windows: 10, 8.1, 8 • MacOS: 10.9 – 10.13
Operating Temperature	• 0 - 40 °C (32 - 104 °F)
Operating Humidity	• Max. 90% non-condensing
Certifications	<ul style="list-style-type: none"> • CE • FCC
Dimensions	<ul style="list-style-type: none"> • 92 x 55 x 16 mm (3.6 x 2.2 x .63 in.) • 54g (1.9 oz.)
Warranty	• 2 year limited

PACKAGE CONTENTS

- TUC-ETGH3
- Quick Installation Guide
- CD-ROM (Driver & User's Guide)