



Power Delivery Charging Station - 65 W

One USB-C Power Delivery Port up to 60 W, One USB-C Power Delivery Port up to 18 W, One Quick Charge™ Power Port up to 18 W, Black

Part No.: [102223](#)

EAN-13: 0766623102223 | UPC: 766623102223

Power Delivery Charging Station - 65 W — Impressive device power

Enjoy complete charging power with the Manhattan Power Delivery Charging Station - 65 W. Its USB-C ports use PD technology to deliver the right amount of power to your laptop, smartphone, tablet or other compatible device at the fastest, safest rate. The additional USB-A port supports Qualcomm® Quick Charge™ technology to delivery up to 18 W of power to a compatible device. The perfect power companion with its stylish, compact and ultra-modern design, the Manhattan Power Delivery Charging Station - 65 W also smartly protects itself and your devices from short-circuits, overvoltage, overcurrent and overheating.

Features:

- Charging station solution with two USB-C Power Delivery (PD 3.0) and one Quick Charge™ USB-A charging ports
- Charges different devices simultaneously with optimized power allocation
- Total power output supported: 65 W
- One USB-C Power Delivery port delivering up to 60 W to charge a notebook, laptop, Ultrabook™, tablet or other USB-C powered device
- One USB-C PD port delivering up to 60 W
- One USB-C Power Delivery port delivering up to 18 W to charge a tablet, smartphone, game console or other USB-C powered device
- One USB-C PD port delivering up to 18 W
- One USB-A Quick Charge port delivering up to 18 W to charge any

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

portable device

- One USB-A QC 3.0 port delivering up to 18 W
- LED status indicator
- Overload, overcurrent and overheating protection
- Compact, portable and stylish design for easy travel
- Three-year warranty

Specifications:

Standards and Certifications

- USB
- Power Delivery 3.0
- Qualcomm® Quick Charge™ 3.0
- CE
- FCC
- RoHS
- WEEE
- ETL

Ports

- Two USB-C Power Delivery (PD 3.0)
- One USB-A Quick Charge 3.0

General

- AC input: 100 – 240 V; 50 – 60 Hz
- USB-C outputs: 5 – 20 V; maximum 3 A; 60 W
- Voltage/current settings (maximum):
 - USB-C PD 60 W:
 - 5 V / 3 A
 - 9 V / 3 A
 - 12 V / 3 A
 - 15 V / 3 A
 - 20 V / 3 A
 - USB-C PD 18 W:
 - 5 V / 3 A
 - 9 V / 2 A
 - 12 V / 1.5 A
 - USB-A QC 3.0 18 W:
 - 3.6 – 6.5 V / 3 A
 - 6.5 – 9 V / 2 A
 - 9 – 12 V / 1.5 A

Input Characteristics

- AC rated voltage: 100 – 240 V
- Frequency range: 50 – 60 Hz (± 1 Hz)
- Current: ≤ 1 A at 100 VAC 60 HZ

Output Characteristics

- Rated voltage: 5 / 9 / 12 / 15 / 20 V
- Current: 3 A maximum (at constant voltage mode)
- Rated power: 72 watts maximum
- Overshoot voltage: ≤ 5%

Protection Characteristics

- Short-circuit (SCP) with auto-recovery mode
- Overvoltage (OVP) with auto-recovery mode
- Overcurrent (OCP) — current limit: 150% (max)
- Over-temperature (OTP)

Physical

- Dimensions: 7.2 x 11.8 x 1.95 cm (2.83 x 4.64 x 0.77 in.)
- Weight: 0.22 kg (7.76 oz.)
- Housing: plastic

Operating Environment

- Operation Temperature: 0 – 30°C (32 – 86°F)
- Storage Temperature: -20 – 65°C (-4 – 149°F)
- Humidity (noncondensing): 10 – 90%

Package Contents

- Power Delivery Charging Station - 65 W
- 1 m (3.3 ft.) Power cord
- 2 m (6 ft.) USB-C to USB-C cable, supports data transfer speeds of 480 Mbps
- Instructions



